SHEET 1 OF 5

		OIILLI I	$\frac{J_1}{J}$
INFORMATION DISCLOSURE OF E STATION IN AN ARPLICATION	ATTY. DOCKET NO. 066785-0017	SERIAL NO. 10/813,856	
	APPLICANT Douglas A. Lappi et	al.	
(PTO-1449)	FILING DATE March 30, 2004	GROUP 1631	

U.S. PATENT DOCUMENTS									
EXAMINER'S INITIALS	CITE NO.	1	ocument Number per-Kind Code _{2 (4 known)}	Publication Date MM-DD-YYYY		icant of Cited			Lines, Where es or Relevant ppear
•	1.	US	5,191,067	03-02-1993	Lappi et al.				
	2.	US	5,679,637	10-21-1997	Lappi et al.				
		L	<u> </u>	FOREIGN PA	TENT DOCUMENTS				
EXAMINER'S		Forei	gn Patent Document	Publication Date		Pages, Columi		Tr	anslation
INITIALS	CITE NO.	Count	y Codes -Number 4 -Kind Codes (if known)	MM-DD-YYYY	Applicant of Cited Document	Where Rele Figures Ap		Yes	No
				ļ					
		<u> </u>				-	······		
		L	OTHER A	RT (Including Auth	or, Title, Date, Pertinent Pages, E	tc.)			
EXAMINER'S INITIALS I					e,				
	3.	ABBADIE et al., "Inflammation increases the distribution of dorsal horn neurons that internalize the neurokinin-1 receptor in response to noxious and non-noxious stimulation," J. Neurosci. 17:8049-8060 (1997).							
***************************************	4.	ANDERSON et al., "Dopamine D₁ receptor-stimulated release of acetylcholine in rat							
		striatom is mediated indirectly by activation of striatal neurokinin receptors," <u>J.</u> <u>Pharmacol. Exp. Therap.</u> 269:1144-1151.							
	5.	ANTON et al., "Development of a biotinylated analog of substance P for use as a receptor probe," <u>Laboratory Investigation</u> 64:703-708 (1991).							
6. BOEHMER et al,. "High levels of mRNA coding for substance P, somatostatin and alpha-tubulin are expressed by rat and rabbit dorsal root ganglia neurons," <u>Peptides</u> 10:1179-1194 (1989).									
	7. BOZIC et al., "Neurogenic amplification of immune complex inflammation," <u>Science</u> 273:1722-1725 (1996).								
	8.	BREI	_JE et al., "Three ocal microscopy,"	e-dimensional ' <u>Diabetes</u> 38	imaging of intact isolat :808-814 (1989).	ed islets of l	Langer	hans with	1
	EXAMINER DATE CONSIDERED								

^{*}EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP 609. Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.

¹ Applicant's unique citation designation number (optional). 2 Applicant is to place a check mark here if English language Translation is attached.

INFORMATION DISCLOSURE CITATION IN AN	ATTY. DOCKET NO. 066785-0017	SERIAL NO. 10/813,856	
APPLICATION	APPLICANT	t al	
(PTO-1449)	PILING DATE March 30, 2004	GROUP 1631	
9. BRIMIJOIN et al., "Axonal trans the guinea pig," Brain Research		agus and sciatic nerves of	
BROWN et al., "Morphological of immunoreactive neurons in the			
11. BUECHLER et al., "Synthesis a	Comp. Neurol. 356:327-344. BUECHLER et al., "Synthesis and characterization of a homogeneous chemical conjugate between basic fibroblast growth factor and saporin." Eur. J. Biochem. 234(3):706-713 (1995).		
	CHAPMAN and DICKENSON, "The effect of intrathecal administration of RP67580, a potent neurokinin 1 antagonist on nociceptive transmission in the rat spinal cord,"		
13. DE KONICK et al., "Substance I	DE KONICK et al., "Substance P-mediated slow excitatory postsynaptic potential elicited in dorsal horn neurons in vivo by noxious stimulation," Proc. Natl. Acad. Sci.		
14. DEL FIACCO et al., "GAP-43 pe	DEL FIACCO et al., "GAP-43 persists in adulthood and coexists with SP and CGRP in human trigeminal sensory neurons," NeuroReport 5:2349-2352 (1994).		
15. DING, et al., "Spinoparabrachia immunoreactivity in the lumbar s (1995).			
16. DOUGHERTY et al., "Combined produced long-lasting changes Brain Res. Rev. 18:227-246 (19	in responses of primate spin		
and mechanical stimuli following	DOUGHERTY et al., "Enhancement of spinothalamic neuron responses to chemical and mechanical stimuli following combined micro-iontophoretic application of N-methyl-D-aspartic acid and substance P," Pain 47:85-93 (1991).		
	DUGGAN et al., "Sustained isometric contraction of skeletal muscle results in release of immunoreactive neurokinins in the spinal cord of the anaesthetized cat," Neurosci. Lett. 122:191-194 (1991).		
	GILCHRIST et al., "Enhanced withdrawal responses to heat and mechanical stimuli following intraplantar injection of capsaicin in rats," Pain 67:179-188 (1996).		
transmembrane domain NK1 re	GRADY et al., "Delineation of the endocytotic pathway of substance P and its seven-transmembrane domain NK1 receptor," Mol. Biol. Cell 6:509-524 (1995).		
21. GUZMAN et al. "Effect of subst			
rat striatum: a microdialysis stu 22. HARGREAVES et al., "A new ar in cutaneous hyperalgesia," Pai	nd sensitive method for mea		
23. HOKFELT et al., "Experimental distribution of substance P in ca 252 (1975).	immunohistochemical studie		
EXAMINER		ATE CONSIDERED	

^{*}EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP 609. Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.

¹ Applicant's unique citation designation number (optional). 2 Applicant is to place a check mark here if English language Translation is attached.

9(1):31-39 (1993).

15:152-164 (1995).

32.

33.

34.

35.

SHEET 3 OF 5

INFORMATION DISCLOSURE CITATION IN AN APPLICATION	ATTY. DOCKET NO. 066785-0017	SERIAL NO. 10/813,856		
	APPLICANT Douglas A. Lappi e	et al.		
(PTO-1449)	FILING DATE March 30, 2004	GROUP 1631		
24. HUMPEL, "Intranigral injection of selective neurokinin-1 and neurokinin-3 but not				
neurokinin-2 receptor agonists biphasically modulate striatal dopamine metabolism but not striatal preprotachykinin-A mRNA in the rat," Neurosci. Lett. 157:223-226.				
	JESSELL and IVERSEN, "Opiate analgesics inhibit substance P release from rat trigeminal nucleus," Nature 268:549-551 (1977).			
immunoreactivities and recep	KAR et al., "Altered calcitonin gene-related peptide, substance P and enkephalin immunoreactivities and receptor binding sites in the dorsal spinal cord of the polyarthritic rat," <u>Eur J. Neurosci.</u> 6:345-354 (1994).			
	KIM and CHUNG, "An experimental model for peripheral neuropathy produced by segmental spinal nerve ligation in the rat," Pain 50:355-363 (1992).			
	B. LAMBERT et al., "Purified immunotoxins that are reactive with human lymphoid cells," J. Biol. Chem. 260:12035-12041 (1985).			
	LAPPI et al., "Biological and chemical Characterization of basic FGF-saporin mitotoxin." <u>Biochem. Biophys. Res Commun.</u> 160(2):917-923 (1989).			
protein: immunoreactivity and	LAPPI et al., "Characterization of a Saponaria officinalis seed ribosome-inactivating protein: immunoreactivity and sequence homologies." <u>Biochem. Biophys. Res.</u> Commun. 129(3):934-942 (1985).			
	LAPPI et al., "Characterization of a saporin mitotoxin specifically cytotoxic to cells bearing the granulocyte-macrophage colony-stimulating factor." Growth Factors			

LAPPI et al., "Reducing the heterogenecity of chemically conjugated targeted toxins:

homogeneous basic FGF-saporin," Analytical Biochemistry, 212(2):446-451 (1993).

LIU et al, "Synaptic relationship between substance P and the substance P receptor:

antagonists and galanin on the development of spinal cord hyperexcitability following

MALMBERG et al., "Hyperalgesia mediated by spinal glutamate or substance P receptor blocked by spinal cyclooxygenase inhibition," <u>Science</u> 257:1276-1279 (1992). MANTYH et al., "Beta 2-adrenergic receptors are expressed by glia in vivo in the normal and injured central nervous system in the rat, rabbit, and human," <u>J. Neurosci.</u>

MA et al., "Involvement of neurokinin receptors in the induction but not the maintenance of mechanical allodynia in rat flexor motoneurones," J. Physiol. (London) 486:769-777

light and electron microscopic characterization of the mismatch between neuropeptides

LITTLEWOOD, et al., "The types of neuron in spinal dorsal horn which possess

and their receptors," <u>Proc. Natl. Acad. Sci. USA</u> 91:1009-1013 (1994). LUO and WISENFELD-HALLIM, "The effects of pretreatment with tachykinin

sciatic nerve section in the rat," Neuropeptides 28:161-166 (1995).

neurokinin-1 receptors," Neuroscience 66:597-608 (1995).

EXAMINER	DATE CONSIDERED

^{*}EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP 609. Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.

¹ Applicant's unique citation designation number (optional). 2 Applicant is to place a check mark here if English language Translation is attached.

EFS-Web Receipt date: 10/31/2007

10813856 - GAU: 1631

SHEET 4 OF 5

INFORMATION DISCLOSURE CITATION IN AN APPLICATION		ATTY. DOCKET NO. 066785-0017	SERIAL NO. 10/813,856		
		APPLICANT Douglas A. Lappi et a	al.		
	(PTO-1449)	FILING DATE March 30, 2004	GROUP 1631		
39	MANTYH et al., "Some sensory paracrine inhibition of primary af Neurosci. 14:3958-3968 (1994).				
. 40	. MANTYH, et al., "Receptor endo somatosensory stimulation," Science		g in spinal neurons after		
41	. MARSHALL et al., "Neurokinin-1 Neuroscience 72:255-263 (1996		alamic neurons in the rat,"		
42	neurokinin receptor message RN	MCCARSON and KRAUSE, "The formalin-induced expression of tachkinin peptide and neurokinin receptor message RNAs in rat sensory ganglia and spinal cord is mediated by opiate preadministration," Neuroscience 64:729-739 (1995).			
43	MUNRO et al., "The effects of neurokinin receptor antagonists on mustard oil-evoked activation of rat dorsal horn neurons," Neuropeptides 25:299-305 (1993).				
44	NAGY et al., "NK1 and NK2 receptors contribute to C-fibre evoked slow potentials in the spinal cord," NeuroReport 5:2105-2108 (1994).				
45	NAGY et al., "The role of neurokinin and N-methyl-D-aspartate receptors in synaptic transmission from capsaicin-sensitive primary afferents in the rat spinal cord in vitro," Neuroscience 52:1029-1037 (1993).				
46	NAKAYA et al., "Immunohistochemical localization of substance P receptor in the central nervous system of the adult rat," J. Comp. Neurol. 347:249-274.				
47	NEUGEBAUER et al., "Involvement of substance P receptors in the hyperexcitability of dorsal horn neurons during the development of acute arthritis in rat's knee joint," <u>J. Neurophysiol.</u> 73:1574-1583 (1995).				
48	NEUGEBAUER et al., "The involvement of substance P and neurokinin-1 receptors in the responses of rat dorsal horn neurons to noxious but not to innocuous mechanical stimuli applied to the knee joint," Brain Res. 666:207-215 (1994).				
49	NICHOLS, et al., "Transmission of chronic nociception by spinal neurons expressing the substance P receptor," <u>Science</u> 286:1558-1561 (1999).				
50	RICARD et al., "Cardiovascular and behavioural effects of centrally administered tachy				
51	QUARTU et al., "Calcitonin gene-related peptide in the human trigeminal sensory system at developmental and adult life stages: immunohistochemistry, neuronal morphometry and coexistence with substance P," J. Chem. Neuroanat. 5:143-157 (1992).				
52		LTER et al., "Responses of functionally identified neurons in the dorsal horn of the spinal cord to substance P, neurokinin A and physalaemin," Neuroscience 43:601-			
53	SANN et al., "Reduction of substance P bindling sites in the spinal dorsal horn after perineural capsaicin treatment in the rat," Neurosci Lett. 190:151-154 (1995).				

EXAMINER	DATE CONSIDERED

^{*}EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP 609. Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.

¹ Applicant's unique citation designation number (optional). 2 Applicant is to place a check mark here if English language Translation is attached.

EFS-Web Receipt date: 10/31/2007

10813856 - GAU: 1631

SHEET 5 OF 5

INFORMATION DISCLOSURE CITATION IN AN APPLICATION	ATTY. DOCKET NO. 066785-0017	SERIAL NO. 10/813,856
	APPLICANT Douglas A. Lappi et al.	
(PTO-1449)	FILING DATE March 30, 2004	GROUP 1631

54.	SCHAIBLE et al., "Release of immunoreactive substance P in the spinal cord during development of acute arthritis in the knee joint of the cat: a study with antibody microprobes," Brain Research 529:214-223 (1990).	
55.	SIMONE et al., "Neural mechanisms of hyperalgesia," <u>Curr. Opin. Neurobiol.</u> 2:479-483 (1992).	
56.	SIMONE et al., "Neurogenic hyperalgesia: central neural correlates in responses of spinothalmic tract neurons," J. Neurophysiol. 66:228-246 (1991).	
*57.	SMITH et al., "Non-specific effects of the tachykinin NK1 receptor antagonist, CP-99, 994, in antinociceptive tests in rat, mouse and gerbil," <u>Eur. J. Pharmacol.</u> 271:481-487 (1994).	
58.	STIRPE et al., "Ribosome-inactivating proteins from plants: present status and future prospects," Bio/Technology 10:405-412 (1992).	
59.	STIRPE et al., "Ribosome-inactivating proteins from the seeds of Saponario officinalis L. (soapwort) of Agrostemma githago L. (corn cockle) and of Asparagus officinalis (asparagus) and from the latex of Hura crepitans L. (sandbox tree)." Biochem J. 216:617-625 (1983).	
60.	TADANO et al., "Immunohistochemical determination of rat spinal cord substance P, and antinociceptive effect during development of thiamine deficiency," <u>Brain Res.</u> 696:21-29 (1995).	
61.	TRAUB et al., "The spinal contribution of substance P to the generation and maintenance of inflammatory hyperalgesia in the rat," Pain 67:151-161 (1996).	
62.	VIGNA et al., "Characterization of antibodies to the rat substance P (NK-1) receptor and to a chimeric substance P receptor expressed in mammalian cells," <u>J. Neurosci.</u> 14:834-845 (1994).	
63.	YAMAMOTO et al., "Effects of FK224, a novel cyclopeptide NK1 and NK2 antagonist, and CP-96, 345, a nonpeptide NK1 antagonist, on development and maintenance of thermal hyperesthesia evoked by carrageenan injection in the rat paw," Anesthesiology 79:1042-1050 (1993).	
64.	YASHPAL et al., "Noxious peripheral stimulation produced antinociception mediated via substance P and opiod mechanisms in the rat tail-flick test," <u>Brain Res.</u> 674:97-103 (1995).	
65.	YASHPAL et al., "Noxious stimulation decreases substance P binding in rat spinal dorsal horn: competition by endogenous ligand?" NeuroReport 5:2101-2104 (1995).	

EXAMINER /Michael Borin/	DATE CONSIDERED 02/06/2008
/Wiondor Dorning	02/00/2000

*EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP 609. Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.

¹ Applicant's unique citation designation number (optional). 2 Applicant is to place a check mark here if English language Translation is attached.